

WEST Search History

DATE: Tuesday, June 27, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L147	L146 and replicat\$3	28
<input type="checkbox"/>	L146	L145 and (object\$1 near5 field\$1)	28
<input type="checkbox"/>	L145	L144 and target	38
<input type="checkbox"/>	L144	L143 and encod\$3	38
<input type="checkbox"/>	L143	L141 and (double near5 byte)	39
<input type="checkbox"/>	L142	L141 and (code near5 character\$1)	9
<input type="checkbox"/>	L141	L140 and language\$1 and convert\$3	86
<input type="checkbox"/>	L140	L139 and source and target and field\$1	146
<input type="checkbox"/>	L139	(binary large object\$1) and @py<=2003	397
<input type="checkbox"/>	L138	L137 and target and field\$1	0
<input type="checkbox"/>	L137	L136 and identifier\$1	2
<input type="checkbox"/>	L136	L133 and (character near5 set)	2
<input type="checkbox"/>	L135	L133 and (double near5 byte)	0
<input type="checkbox"/>	L134	L133 and blob	0
<input type="checkbox"/>	L133	L132 and replicat\$3	2
<input type="checkbox"/>	L132	(character near5 set\$1) same (replicat\$3 near5 data) and @py<=2003	2
<input type="checkbox"/>	L131	L130 and (binary near5 object\$1) and @py<=2003	4
<input type="checkbox"/>	L130	(source near5 field\$1) and (target near5 field\$1) and (replicat\$3 near5 data)	102
<input type="checkbox"/>	L129	L127 and mirror\$3	0
<input type="checkbox"/>	L128	L127 and replicat\$3	0
<input type="checkbox"/>	L127	L126 and (double near5 byte)	4
<input type="checkbox"/>	L126	(convert\$3 near5 blob) and @py<=2003	32
<input type="checkbox"/>	L125	(binar near5 object\$1) and @py<=2003	10
<input type="checkbox"/>	L124	(binar near5 object\$1) and (encod\$3 near5 scheme) @py<=2003	0
<input type="checkbox"/>	L123	utf-8 and (binar near5 object\$1) and @py<=2003	0
<input type="checkbox"/>	L122	L121 and (double near5 byte)	28
<input type="checkbox"/>	L121	L120 and conver\$3 and block and data	43
<input type="checkbox"/>	L120	L119 and replicat\$3	43
<input type="checkbox"/>	L119	L118 and target and source and field\$1 and table\$1	55
	L118	(character near5 set\$1) and integer and schema and field\$1 and blob and	61

<input type="checkbox"/>	@py<=2003	
<input type="checkbox"/>	L117 L116 and (character near5 set)	10
<input type="checkbox"/>	L116 L112 and blob	24
<input type="checkbox"/>	L115 L113 and convert\$3	10
<input type="checkbox"/>	L114 L113 and convert\$3 and universal and character	0
<input type="checkbox"/>	L113 L112 and (double near5 byte) and (character near5 set\$1)	10
<input type="checkbox"/>	L112 L111 and (target near5 table\$1)	537
<input type="checkbox"/>	L111 (source and target and database\$1 and replicat\$4) and @py<=2003	17177
<input type="checkbox"/>	L110 L109 and replicat\$4	1
<input type="checkbox"/>	L109 (convert\$3 same (blob near5 data)) and @py<=2003	22
<input type="checkbox"/>	L108 (blob and replication).ab. and @py<=2003	0
<input type="checkbox"/>	L107 (blob and data\$.ti. and @py<=2003	5
<input type="checkbox"/>	L106 L105 and source and target	28
<input type="checkbox"/>	L105 L103 and (code near5 point\$1)	28
<input type="checkbox"/>	L104 L103 and (universal near5 character)	0
<input type="checkbox"/>	L103 L102 and (double near5 byte)	32
<input type="checkbox"/>	L102 (software and blob and character\$1 and set\$1 and replicat\$4) and @py<=2003	227
<input type="checkbox"/>	L101 L100 and (character near5 set\$1)	1
<input type="checkbox"/>	L100 L99 and (source and target and field\$1)	5
<input type="checkbox"/>	L99 (replicat\$3 same (blob near5 data)) and @py<=2003	8
<input type="checkbox"/>	L98 (chinese near5 language\$1) and (japanes near5 language\$1) and @py<=2003	0
<input type="checkbox"/>	L97 (chinese near5 language\$1) and (japanes near5 language\$1) and blob and @py<=2003	0
<input type="checkbox"/>	L96 (universal character set transformation) and @py<=2003	1
<input type="checkbox"/>	L95 (convert\$3 near5 blob) and (character near5 set\$1) and identifier\$1 and target and soruce and @py<=2003	0
<input type="checkbox"/>	L94 L93 and (source near5 field\$1) and (target near5 field\$1)	0
<input type="checkbox"/>	L93 (blob and database\$1 and character\$1 and replicat\$4 and scheme) and @py<=2003	164
<input type="checkbox"/>	L92 L91 and (data near5 type\$1) and attribut\$2	46
<input type="checkbox"/>	L91 L90 and (data near5 structure)	47
<input type="checkbox"/>	L90 L89 and (table\$1 same field\$1)	48
<input type="checkbox"/>	L89 L80 and (replicat\$3 near5 data)	58
<input type="checkbox"/>	L88 L87 and @py<=2003	28
<input type="checkbox"/>	L87 L86 and (replicat\$3 near5 source)	32
<input type="checkbox"/>	L86 L85 and (convert\$3 near5 data)	39
<input type="checkbox"/>	L85 L80 and (target near5 database)	63
<input type="checkbox"/>	L84 L83 and (field\$1 near5 id\$)	2
	L83 L82 and relational	25

<input type="checkbox"/>		
<input type="checkbox"/>	L82 L80 and (source same target) and @py<=2002	25
<input type="checkbox"/>	L81 L80 and (character\$1 near5 id\$) and @py<=2003	5
<input type="checkbox"/>	L80 (binary large object) and (relational near5 database\$1)	399
<input type="checkbox"/>	L79 20020116405.pn.	2
<input type="checkbox"/>	L78 5878220.pn.	2
<input type="checkbox"/>	L77 L76 and first and second and code\$1	22
<input type="checkbox"/>	(binary large object) and source and target and field\$1 and languages and (convert\$3 or transfer\$3) and (replicat\$3 or mirror\$3) and relational and database\$1 and @py<2003	29
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L75 US-20050034099-A1.did.	1
<input type="checkbox"/>	L74 US-20050034099-A1.did.	1
	<i>DB=EPAB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L73 WO-2003036470-A2.did.	0
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L72 (blob and data and type\$1).ti,ab. and @py<=2003	12
<input type="checkbox"/>	L71 'blob data'.ti.	3
<input type="checkbox"/>	L70 L68 and (id\$ near5 character\$1)	0
<input type="checkbox"/>	L69 L68 and (coded near5 character\$1)	0
<input type="checkbox"/>	L68 L67 and (source same target)	58
<input type="checkbox"/>	L67 L66 and (data near5 field\$1)	184
<input type="checkbox"/>	L66 (data near5 structure) and (blob near5 data) and @py<=2003	331
<input type="checkbox"/>	L65 L64 and field\$1	28
<input type="checkbox"/>	L64 L63 and (replicat\$3 near5 data)	28
<input type="checkbox"/>	(data near5 type\$1) and (source near5 field\$1) and (blob near5 data) and @py<=2003	49
<input type="checkbox"/>	L63 L61 and (target near5 blob)	11
<input type="checkbox"/>	L61 source near5 blob	66
<input type="checkbox"/>	L60 (character near5 id\$) same (blob near5 data) and @py<=2003	0
<input type="checkbox"/>	L59 L58 and (blob near5 attribute\$1)	3
<input type="checkbox"/>	L58 xml and blob and scheme and @py<=2003	108
<input type="checkbox"/>	L57 (blob near5 schema) and (blob near5 character\$1) and (blob near5 data)	0
<input type="checkbox"/>	(blob near5 schema) and (blob near5 character\$1) and (blob near5 data) and @py<=2003	0
<input type="checkbox"/>	L55 L54 and replicat\$3	1
<input type="checkbox"/>	L54 (source near5 blob) and (target near5 blob) and @py<=2003	6
<input type="checkbox"/>	L53 (source near5 database\$1) same (blob near5 data) and @py<=2003	2
<input type="checkbox"/>	L52 L51 and encod\$3	9

<input type="checkbox"/>	L51	L50 and (first near5 character\$1) and (second near5 character\$1)	11
<input type="checkbox"/>	L50	(image near5 data) and (blob near5 data)	474
<input type="checkbox"/>	L49	L48 and target	2
<input type="checkbox"/>	L48	L47 and source	8
<input type="checkbox"/>	L47	(blob near5 attribut\$1) and @py<=2002	17
<input type="checkbox"/>	L46	(source near5 database\$1) and (target near5 database\$1) and (blob near5 attribut\$1) and @py<=2002	0
<input type="checkbox"/>	L45	L44 and (source same target)	28
<input type="checkbox"/>	L44	L43 and schema	43
<input type="checkbox"/>	L43	(blob near5 data) and (character near5 set\$1) and (replicat\$3 or mirror\$3) and @py<=2003	48
<input type="checkbox"/>	L42	(blob and database\$1).ti. and @py<=2003	1
<input type="checkbox"/>	L41	L40 and (blob near5 data)	6
<input type="checkbox"/>	L40	L39 and field\$1	20
<input type="checkbox"/>	L39	L38 and target	20
<input type="checkbox"/>	L38	L37 and source	29
<input type="checkbox"/>	L37	L36 and blob	37
<input type="checkbox"/>	L36	'utf-8'	1243
<input type="checkbox"/>	L35	L29 and 'utf-8'	0
<input type="checkbox"/>	L34	utf and blob and ccsid and clob and @py<=2002	0
<input type="checkbox"/>	L33	L32 and @py<=2002	8
<input type="checkbox"/>	L32	L31 and blob	14
<input type="checkbox"/>	L31	'double byte character set'	144
<input type="checkbox"/>	L30	L29 and 'double byte character set'	0
<input type="checkbox"/>	L29	L28 and (character near5 set\$1)	28
<input type="checkbox"/>	L28	L26 and (double near5 byte)	28
<input type="checkbox"/>	L27	L26 and (multiple near5 languages)	0
<input type="checkbox"/>	L26	L25 and (data near5 field\$1)	28
<input type="checkbox"/>	L25	L24 and (format\$3 near5 data)	28
<input type="checkbox"/>	L24	L23 and (replicat\$3 near5 source)	28
<input type="checkbox"/>	L23	L22 and (relational near5 database\$1)	28
<input type="checkbox"/>	L22	L21 and (translate near5 data)	28
<input type="checkbox"/>	L21	L19 and (blob same attribute\$1)	28
<input type="checkbox"/>	L20	L19 and (blob near5 attribute\$1)	0
<input type="checkbox"/>	L19	L18 and (character near5 set\$1)	28
<input type="checkbox"/>	L18	L17 and (field\$1 same type\$1)	28
<input type="checkbox"/>	L17	L16 and character\$1	28
<input type="checkbox"/>	L16	L15 and 'blob'	28

<input type="checkbox"/>	L15	L14 and binary	28
<input type="checkbox"/>	L14	L13 and table\$1	28
<input type="checkbox"/>	L13	L11 and language\$1	28
<input type="checkbox"/>	L12	L11 and (multiple near5 language\$1)	0
<input type="checkbox"/>	L11	L10 and (data near5 structure)	28
<input type="checkbox"/>	L10	L9 and attribut\$1	28
<input type="checkbox"/>	L9	L8 and scheme\$1	28
<input type="checkbox"/>	L8	L7 and replicat\$3	28
<input type="checkbox"/>	L7	L6 and (cod\$2 near5 id\$)	32
<input type="checkbox"/>	L6	L5 and (source same target)	59
<input type="checkbox"/>	L5	'binary large objects' and (convert\$3 or translat\$3) and @py<=2003	250
<input type="checkbox"/>	L4	'binary large objects' and (convert\$3 or translat\$3) and @py<=2004	336
<input type="checkbox"/>	L3	'binary large objects' and (convert\$3 or translat\$3)	505
<input type="checkbox"/>	L2	L1 and blob	2
<input type="checkbox"/>	L1	coded character set identifier	33

END OF SEARCH HISTORY